



Section 1. Product and Company Identification

Product Name Oleth-5
CAS Number 9004-98-2

Parchem - fine & specialty chemicals
415 Huguenot Street
New Rochelle, NY 10801
📞 (914) 654-6800 📠 (914) 654-6899
🌐 parchem.com ✉ info@parchem.com

EMERGENCY RESPONSE NUMBER
CHEMTEL
Toll Free US & Canada: 1 (800) 255-3924
All other Origins: 1 (813) 248-0585
Collect Calls Accepted

Section 2. Hazards Identification

Classification of the substance or mixture

This product does not contain any active material considered hazardous as defined in 29 CFR 1910.120

GHS Label Elements

Pictograms: N/A

Signal word: N/A

Hazard and precautionary statements: None

Potential Health Effects

There are no potential health effects expected from handling this material. Good manufacturing practices are always recommended when handling any chemical.

A knowledge of the available toxicology information and of the physical and chemical properties of the material suggests that overexposure is unlikely to aggravate existing medical conditions.

This material is registered with TSCA.

Exposure to small quantities is not expected to cause adverse health effects.

There are no significant laboratory data to suggest any specific hazard to humans.

Inhalation: Short-term harmful health effects are not expected from vapor-generated at ambient temperatures.

Eye Contact: May cause some moderate eye irritation.

Skin Contact: May cause some irritation or discomfort.

Ingestion: May cause abdominal discomfort, nausea, vomiting and diarrhea.

Carcinogenicity: IARC, NTP, and OSHA do not list this product as a carcinogen.

HMIS Rating

Health: 1

Flammability: 1

Reactivity: 0

Personal Protection: B



Section 3. Composition / Information on Ingredients

Common Name Oleth-5
Synonym(s) Polyoxyethylene (5) Oleyl Ether
CAS Number 9004-98-2

COMPONENT	CAS NUMBER	CONCENTRATION
Polyoxyethylene (5) Oleyl Ether	9004-98-2	100%

Section 4. First Aid Measures

Inhalation: Short-term harmful health effects are not expected from vapor-generated at ambient temperatures. If first aid is required, move victim to fresh air.

Eye Contact: May cause some moderate eye irritation. Flush immediately with water for 15 to 20 minutes. Obtain medical attention if severe irritation occurs.

Skin Contact: May cause some irritation or discomfort. Remove contaminated clothing. Wash affected area with soap & water.

Ingestion: May cause abdominal discomfort, nausea, vomiting and diarrhea. Give two glasses of water. Do not induce vomiting. Obtain medical attention.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5. Firefighting Measures

Flash Point: > 300°F

Flash Point Method: MPOC

Extinguishing Media: Use water spray, carbon dioxide, alcohol type or universal type foam applied in accordance with the manufacturer's instructions.

Fire-Fighting Instructions: Treat as an oil fire. Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

Section 6. Accidental Release Measures

Safeguards (Personnel): Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean up.

Spill /Leak Procedures: Collect for disposal in accordance with applicable Federal, State, or local regulations.



Containment: For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7. Handling and Storage

Handling Precautions: (Personnel) Safety glasses and PVC gloves.

Storage Requirements: Keep container tightly closed.

Section 8. Exposure Controls / Personal Protection

Engineering Controls: No special engineering controls are required under normal use.

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec.2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Respiratory Protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear an MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear a SCBA.

Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9. Physical and Chemical Properties

Physical State: Liquid

Appearance and Odor: Yellow to amber, mild odor

Vapor Pressure, mm Hg: < 0.1 @ 20 OC

Vapor Density (Air=1): > 1

Specific Gravity (H₂O=1, @ 25°C): 0.93



pH: N/A
Water Solubility: Dispersible
Boiling Point: >150 °C
Freezing/Melting Point: N/D
Viscosity: Moderate
Refractive Index: N/D
% Volatile: Nil
Evaporation Rate: N/A

Section 10. Stability and Reactivity

Stability: Product is STABLE at room temperature in closed containers under normal storage and handling conditions.

Chemical Incompatibilities: Strong acids, alkalis and oxidizers.

Hazardous Thermal Decomposition Products: Oxides of Carbon.

Hazardous Polymerization: Will not occur.

Section 11. Toxicological Information

A knowledge of the available toxicology information and of the chemical properties of the material suggests that overexposure is unlikely to aggravate existing medical conditions.

Section 12. Ecological Information

N/A

Section 13. Disposal Considerations

Waste Treatment Methods: Dispose of product and contaminated packaging in accordance with all local, state, and federal environmental control regulations.

Section 14. Transport Information

DOT Proper Shipping Name: Not Regulated

DOT Classification: N/A

DOT I.D. #: N/A

UN Hazard Class: N/A

Section 15. Regulatory Information

TSCA Inventory Status: Listed



EPA Regulations – SARA 311/312 Codes

Acute: None
Chronic: None
Fire: None
Reactivity: None
Pressure: None

Section 16. Other Information

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

REVISION DATE: 8/14/2015

